

References

Project documents

- RD1** 6-mirror solution, f/1.42 primary mirror - Optical design and properties, OWL-CSR-ESO-00000-0003 Issue 2
- RD2** 6-mirror solution, f/1.25 primary mirror - Optical design and properties, OWL-CSR-ESO-00000-0175 Issue 1
- RD3** Effect of CTE inhomogeneities and of thermal gradients in the primary and secondary mirror segments, OWL-CSR-ESO-00000-0007 Issue 1
- RD4** Atmospheric dispersion effects, OWL-CSR-ESO-00000-0008 Issue 1
- RD5** Preliminary requirements for OWL segments integration and maintenance, OWL-TRE-ESO-00000-0140 Issue 1
- RD6** Final Report (SCHOTT) - Feasibility Study for Glass-ceramic Primary & Secondary Mirror Segment Blanks; OWL-CSR-ESO-00000-0074 Issue 1.
- RD7** Final Report (ZEISS) - Feasibility Study for Glass-ceramic (AstroSital) Primary & Secondary Mirror Segment Blanks; OWL-CSR-ESO-00000-0022 Issue 2.
- RD8** Final Report (CORNING) - Feasibility Study for Glass-ceramic (ULE) Primary & Secondary Mirror Segment Blanks; OWL-CSR-ESO-00000-0076 Issue 1.
- RD9** Feasibility of SiC segment blanks - final report (BOOSTEC); OWL-CSR-ESO-00000-0045 Issue 1.
- RD10** Final Report - Feasibility Study for Cesium Mirror Blanks for the OWL telescope (ECM); OWL-CSR-ESO-00000-0143 Issue 1.
- RD11** Final Report - OWL Mirror Feasibility Study (SAGEM); OWL-CSR-ESO-00000-0144 Issue 1.
- RD12** Study Report - Figuring and Polishing of OWL Primary and Secondary Mirrors Glass/Glass Ceramics Segments (SESO); OWL-CSR-ESO-00000-0141 Issue 1.
- RD13** Contact Stiffness and Stress of OWL Bogies. Doc number: OWL-CSR-ESO-00000-0116.
- RD14** Modelling of friction drive bogie for Main axes Control of OWL. Doc.: OWL-CSR-EPFL-00000-0134. Date: 18-12-2003. Author: Laboratoire d'Automatique, École Polytechnique Fédérale de Lausanne.
- RD15** Control and Coordination of friction drive bogies for the Main axes Control of OWL. Doc.: OWL-CSR-EPFL-00000-0135. Date: 27-5-2004. Author: Laboratoire d'Automatique, École Polytechnique Fédérale de Lausanne.
- RD16** Main axes Control of OWL. Complete system study. . Doc.: OWL-CSR-EPFL-00000-0137. Date: 1-7-2004. Author: Laboratoire d'Automatique, École Polytechnique Fédérale de Lausanne.
- RD17** Main axes Control of OWL. Study linear case. Doc.: OWL-CSR-EPFL-00000-0133. Date: 1-07-2004. Author: Laboratoire d'Automatique, École Polytechnique Fédérale de Lausanne.
- RD18** Friction drive bogies: characterization tests and identification of friction parameters. Doc.: OWL-CSR-EPFL-00000-0136. Date: 27-3-2004. Author: Laboratoire d'Automatique, École Polytechnique Fédérale de Lausanne.
- RD19** Control Study of OWL Segmented Mirrors, Requirements and Limitations, Doc: OWL-CSR-ESO-00000-0158. Issue 3.
- RD20** Structural models for OWL segments control study, Doc: OWL-CSR-ESO-00000-0157. Issue 1.
- RD21** Coping with phasing failures, OWL-CSR-ESO-00000-0043 Issue 1.
- RD22** High Contrast Imaging, OWL-CSR-ESO-00000-0184 Issue 1 DRAFT.
- RD23** Technical Specifications for the Conceptual Design of OWL M6 Adaptive Mirror M6; OWL-SPE-ESO-083800-0171 Issue 1
- RD24** Adaptive Optics WFS detectors; VLT-SPE-ESO-14690-3320 issue 3
- RD25** SPARTA for OWL: Straw-man Design, Doc. OWL-CSR-ESO-00000-0178 Issue 1
- RD26** OWL Adaptive Optics Analysis Report OWL-TRE-ESO-00000-0169 Issue 1
- RD27** Calibration strategies overview for large DM AO systems, VLT-TRE-ESO-11250-3761
- RD28** Sky coverage for OWL Adaptive Optics GLAO and MCAO cases, Doc. OWL-CSR-ESO-00000-0177 Issue 1

- RD29** Feasibility Study of OWL Framework Structure. Date 30 September 2002. CCI AG Winterthur CH (Former SULZER THERMTECH LTD).
- RD30** Buckling Analysis of OWL Framework Structure. 18.08.2002: IHF Ingenieurbüro Huß & Feickert
- RD31** Analysis study of OWL Framework nodes. IHF Ingenieurbüro Huß & Feickert
- RD32** Pretension and Fatigue Analysis of OWL Framework Structure. 2-6-2003
- RD33** OWL 6 mirrors design. Telescope mechanical structure. Friction Drive and Bearing Systems. OWL-CSR-ESO-60000-114. Issue: 01. Date: 06 October 2003.
- RD34** OWL Steel Structure Thermal model tests. Doc number: OWL-TRE-ESO-00000-0172 26-7-2005.
- RD35** Owl test tube temperature measurements, Michael Cantzler 23-1-2005.
- RD36** Effect of the foundation onto the dynamic performance of OWL. Doc. OWL-CSR-ESO-00000-0150. Issue 1
- RD37** OWL Product Structure Codes, OWL-TRE-ESO-00000-0148 Issue 1.
- RD38** Owl Enclosure conceptual design: Statement of Work and Technical Specifications, OWL-CSR-ESO-00000-0132 Issue 1
- RD39** Final Report: Conceptual Design of the enclosure for the ESO 100m Telescope. Issue 1 26.08.2005, CL-MAP
- RD40** OWL Enclosure Phase 2, Report nr. 113128100-002. Issue 1, 04.10.2005. Airlight, Helbling, Passera Pedretti & Partners.
- RD41** Level 1 requirements, OWL-CSR-ESO-00000-0001
- RD42** Feasibility study for glass/glass-ceramic primary and secondary mirror segments blanks; Technical Specifications and Statement of Work; OWL-CSR-ESO-00000-0004 Issue 2.
- RD43** Feasibility study for CESIC primary and secondary mirror segments blanks - Technical Specifications and Statement of Work; OWL-CSR-ESO-00000-0117 Issue 1.
- RD44** Figuring and polishing of OWL primary and secondary mirrors glass/glass-ceramics segments, Technical Specifications; OWL-CSR-ESO-00000-0014 issue 2.
- RD45** Figuring and polishing of OWL primary and secondary mirrors Silicon Carbide segments, Technical Specifications; OWL-CSR-ESO-00000-0015 Issue 2.
- RD46** Primary mirror inter-segment gaps variations, OWL-CSR-ESO-0000-0012 Issue 1.
- RD47** OWL-Axial Support of Zerodur Solid Segments (FEM report), OWL-TRE-ESO-0000-0115 Issue 2.
- RD48** OWL Alternative Optical Designs, OWL-CSR-ESO-00000-0181 Issue 1.
- RD49** Instructions to perform Earthquake Analysis for OWL Subsystems, OWL-SOW-ESO-00000-0168, Issue 1.
- RD50** OWL preliminary thermal analysis report, OWL-CSR-ESO-00000-0182.
- RD51** EPICS: Earth-like Planet Imaging Camera and Spectrograph; OWL-CSR-ESO-00000-0166
- RD52** CODEX: COsmic Dynamics EXperiment; OWL-CSR-ESO-00000-0160
- RD53** QuantEYE, OWL-CSR-ESO-00000-0162
- RD54** ONIRICA, OWL NIR Imaging Camera, OWL-CSR-ESO-00000-0165.
- RD55** MOMFIS: Multi Object Multi Field Infrared Spectrograph; OWL-CSR-ESO-00000-0164.
- RD56** T-OWL: Thermal Infrared Imager and Spectrograph for OWL; OWL-CSR-ESO-00000-0161.
- RD57** SCOWL: Submillimeter Common User Bolometer Array for OWL; OWL-CSR-ESO-00000-0163.
- RD58** HyTNIC : Hypertelescope NIR Camera ; OWL-CSR-ESO-00000-0167

External documents

- RD501** Computation of the long-exposure PSF and of the Central Intensity Ratio CIR, VLT-TRE-ESO-10000-0407 Issue 2.
- RD502** Position Actuators - Technical specifications. ELT-SPE-ESO-04300-0002 Issue 1.0
- RD503** Position Actuators – Statement of Work. ELT-SPE-ESO-04300-0001 Issue 1.0
- RD504** Metrology – position sensors and internal alignment system, Statement of Work ELT-SOW-ESO-042000-0001
- RD505** Position Sensors. Technical Specification ELT-ESO-SPE-04200-0002
- RD506** Wind Experiment Breadboard - Technical specifications. ELT-SPE-ESO-04800-0002 Issue 1.0.
- RD507** Wind Experiment Breadboard – Statement of Work. ELT-SPE-ESO-04800-0001 Issue 1.0.
- RD508** APE Instrument Requirements Specification – ELT-SPE-ESO-04600-0001 Issue 1.0
- RD509** Contract for a DESIGN STUDY implemented as SPECIFIC SUPPORT ACTION, Annex I - "Description of Work"; Proposal/Contract No: 011863
- RD510** Polishing and testing of 1-m SiC segments prototypes - Statement of Work, ELT-SOW-ESO-05100-0001 Issue 1.

- RD511** Structural Ropes for ELT. Statement of Work. ELT-SOW-ESO-06100-0001 Issue 1.
- RD512** Composite material structural elements applied to ELT. Statement of Work. ELT-SOW-ESO-06200-0001 Issue 1.
- RD513** Characterization of Friction Drives and Bearings. Statement of Work. ELT-ESO-SOW-06400-0001 Issue 1.
- RD514** Characterization of Friction Drives and Bearings. Technical specifications. ELT-ESO-SPE-06400-0002 Issue 1.
- RD515** Magnetically levitated systems and linear drives for ELT main axes. Statement of work. ELT-SOW-ESO-06300-0001
- RD516** Statement of Work for the Enclosure Concepts Design; ELT-SOW-GRA-08100-0001 Issue 1.
- RD517** Statement of Work for the Wind studies; ELT-SOW-ESO-8300-0001 Issue 1.
- RD518** 1st Generation AO & MCAO design for ELT - Statement of Work. ELT-SOW-ESO-09200-0001 Issue 1.
- RD519** Large deformable mirrors – Statement of Work. ELT-SOW-ESO-09300-0001.
- RD520** Statement of Work: ELT Instrument Impact Studies: Small Studies. ELT-SOW-UKA-11200-0001 Issue 1.
- RD521** Statement of Work: ELT Instrument Impact Studies - Point Design Studies. ELT-SOW-UKA-11100-0001 Issue 1.
- RD522** Site Characterization. Instrumentation, measurements and modelling - Statement of Work. ELT-SOW-UNI-12200-0001 Issue 1.
- RD523** Wind studies for the VLT enclosure-Paranal, Chile - DMI 92051 dated 12.08.92
- RD524** Model test for the flow behaviour behind the wind screen of the VLT enclosure at the position of the telescope – Report R 485/0894 dated 02.08.94
- RD525** Integrated Modelling - Development of Tools. ELT-SOW-LUN-13100-0001 issue 1.
- RD526** The science case for the European Extremely Large telescope", 2005, Isobel Hook (Ed), published by Opticon ("Science Book").
- RD527** OWL Control study preparation, Final Report, issue 2, Technische Universität München.
- RD528** Infrared Focal Plane Arrays for the OWL Telescope- J. Beletic – Rockwell Scientific Company

Bibliographic references

- [1] R. Geyl, private communication
- [2] 16. P. Dierickx, Optical Quality and Stability of 1.8-m Aluminum Mirrors, in Metal Mirrors, University College London, 1992..
- [3] Keck Observatory Report No. 163. Segment Figure Correction Using Leaf Springs on Whiffletrees. Vassilis Panoskaltis, Katerina Papoulia, T. S. Mast, and J. E. Nelson (April 1987).
- [4] R. Geyl, M. Cayrel, M. Tarreau, Gran Telescopio Canarias optics manufacture: Progress Report No 2, 2004, SPIE 5252, 63-68.
- [5] R. Gilmozzi, B. Delabre, P. Dierickx, N. Hubin , F. Koch, G. Monnet, M. Quattri, F. Rigaut, R.N. Wilson, *The Future of Filled Aperture Telescopes: is a 100m Feasible?*, 1998, Advanced Technology Optical/IR Telescopes VI, SPIE 3352, 778
- [6] G. A. Chanan, M. Troy, C. Ohara, Phasing the primary mirror segments of the Keck telescopes: a comparison of different techniques; 2000, SPIE 4003.
- [7] P. Dierickx, 1992, J. Mod. Optics, vol. 39, No. 3, 569-588.
- [8] E. Marchetti, R. Brast, B. Delabre, R. Donaldson, E. Fedrigo, C. Frank, N. Hubin, J. Kolb, M. Le Louarn, J.-L. Lizon, S. Oberti, R. Reiss, J. Santos, S. Tordo, R. ragazzoni, C. Arcidiacono, A. Baruffolo, E. Diolaiti, J. Farinato, E. Vernet-Viard, *MAD status report*, SPIE 5490, 236-245, 2004.
- [9] P. Dierickx, B. Delabre, L. Noethe, *OWL optical design, active optics and error budget*, 2000, SPIE Proc. 4003.
- [10] R. Gilmozzi, B. Delabre, P. Dierickx, N. Hubin , F. Koch, G. Monnet, M. Quattri, F. Rigaut, R.N. Wilson, *The Future of Filled Aperture Telescopes: is a 100m Feasible?*, 1998, Advanced Technology Optical/IR Telescopes VI, SPIE 3352, 778.
- [11] Conclusions of the Workshop on Coronagraphic Methods for the Detection of Terrestrial Planets, A. Quirrenbach Ed., 2005 European Space Agency.
- [12] J. Nelson, T. Mast, S. Faber, The Design of the Keck Observatory and Telescope, Keck Observatory Report No 90, 1985, p. 5-60.
- [13] E. Sein, Y. Toulemont, J. Breyse, P. Deny, Pierre, D. de Chambure, T. Nakagawa, M. Hirabayashi, *A new generation of large SIC telescopes for space applications*, 2004, SPIE Proc. 5528.
- [14] K. J. Aström, B. Wittenmark. ,“ Computer controlled systems – Theory and Design”, Printice Hall, Englewood Cliffs, NJ, USA, 1984.
- [15] I. D. Landau, R. Lozano, and M. M'Saad, “ Adaptive Control”, Springer-Verlag, London, 1997.

- [16] K. Zhou, J.C. Doyle., "Essentials of Robust Control", Printice Hall, Upper Saddle River, New Jersey, 1998.
- [17] B. Armstrong-Hélouvry, P. Dupont, C. Canudas de Wit, " A survey of models, analysis tools and compensation methods for the control of machines with friction", *Automatica*, Vol 30, No. 7, pp 1083-1138, 1994.
- [18] D. Karnopp, " Computer simulation of stick-slip friction in mechanical dynamic systems", *Trans ASME: Journal of dynamical systems, measurement and control*, Vol. 107, pp 100-103, 1985
- [19] C. Canudas de Wit , H. Olsson, K. J. Aström, P. Lischinsky, "A new model for control of systems with friction", *IEEE Trans. Automatic Control*, Vol 40, pp 419-425, 1995.
- [20] A. Preumont, "Vibration Control of active structures, an introduction", 2nd Edition, Kluwer academic publishers, 2002
- [21] A. Babinski, T. C. Tsao, "Acceleration feedback design for voice coil actuated direct drive", *Proceedings of the American Control Conference*, pp 3713-3717, 1999.
- [22] M. Jamshidi, "Large-scale systems: Modelling and Control", Elsevier science Ltd, 1983.
- [23] M.S. Mahmoud, M.F Hassan, M.G. Darwish, "Large-scale control systems", Marcel Dekker, 1985.
- [24] H. K. Khalil, "Nonlinear Systems", Printice Hall, Third edition, 2002.
- [25] P. V. Kokotovic, H. K. Khalil, "Singular Perturbations in Systems and Control", IEEE Press, New York, 1986.
- [26] T. Mast, J. Nelson, "Segment Control Control system Hardware for CELT", *Proc. SPIE*, vol. 4003, 2000.
- [27] R.C. Jared, "The W. M. Keck telescope Segmented Primary Mirror Active Control System ", *SPIE 1236 Advanced technology Optical Telescope IV*. pp. 996-1008, 1990.
- [28] S. Stanghellini, E. Manil, " Design and Preliminary Test of the VLT Secondary Mirror Unit", *SPIE Vol. 2871*, pp 105-116, 1996
- [29] E. Brunetto, M. Dimmler, F. Koch, M. Quattri, M. Mueller, B. Sedghi, *OWL opto-mechanics, phase A*; 2004, *Proc. SPIE 5489*, in press.
- [30] M. Quattri, F. Koch, L. Noethe, A. Correal Bonnet, S. Nölting; *OWL wind loading characterization: a preliminary study*; 2002, *SPIE Proc. 4840*.
- [31] E. Brunetto, F. Koch, F. Biancat Marchet, M. Dimmler; *Friction drive and bogies for owl's main axes, technological step backwards or cost effective alternative ?*; 2002, *Proc. SPIE 4840*.
- [32] E. Brunetto, F. Koch, M. Quattri, *OWL: first steps towards designing the mechanical structure*; 2000, *Bäckaskog Workshop on Extremely Large Telescopes* (Eds T. Andersen, A. Ardeberg, R. Gilmozzi), p 109.
- [33] E. Brunetto, F. Koch, M. Quattri, *OWL: further steps in designing the telescope mechanical structure and in assessing its performance*; 2000, *SPIE Proc. 4004*.
- [34] F. Bossens, *Amortissement actif des structures câblées: de la théorie à l'implémentation*, PhD thesis, Oct 2001
- [35] Steven L. Kramer, *Geotechnical Earthquake Engineering*, University of Washington, 1996 Prentice-Hall, Inc., ISBN 0-13-374943-6
- [36] Franz Koch, *Analysis concepts for Large Telescope Structure under Earthquake Load*, *SPIE 2871-14*, 1996.
- [37] Chanan, G., MacMartin, D.G., Nelson,, J., and Mast, T., *Control and alignment of segmented-mirror telescopes : matrices, modes, and error propagation*, 2004, *Appl. Optics*, 43, 1223
- [38] Noethe, L., *Analytical expressions for optimum alignment modes of highly segmented mirrors*, 2005, *J. Mod.. Optics*, 52(4), 603-632
- [39] Tessieres, R., *Analysis for alignment of optical systems*, MSc. Thesis, Department of Optical Sciences, University of Arizona, 2003
- [40] Tessieres, R., Burge, J.H., *Alignment strategy for the LSST*, LSST Observatory, June 2004
- [41] Noethe, L., *Active optics in modern large optical telescopes*, 2002, *Progress in Optics*, Vol. 43, 1-69
- [42] Ragazzoni, R., Marchetti, E., and Rigaut, F., 1999, *Modal tomography for adaptive optics*, *Astron. Astrophys.* 342, L53-L56
- [43] Fusco, T., *Partial correction and anisoplanetism in adaptive optocs : a posteriori processing and multi-conjugate adaptive optics*, Thesis, ONERA PUB 2000-2, FR ISSN 0078-3780
- [44] VLT Site Selection Working Group final report, *VLT Report 62*, November 14, 1990; Ed. M. Sarazin
- [45] Erasmus, D.A. and D.S. Maartens, 1999: *Operational Forecasts Of Cirrus Cloud Cover And Water Vapour Above Paranal And La Silla Observatories*. European Southern Observatories Report under contract number 52538/VPS/97/9480/HWE.
- [46] Erasmus, D.A. and M. Sarazin, 2000: *Forecasting Precipitable Water Vapor and Cirrus Cloud Cover For Astronomical Observatories: Satellite image processing guided by synoptic model dissemination data*. SPIE Conference on Image and Signal Processing for Remote Sensing IV. Paper SPIE-4168, Barcelona. 25-29 September, 2000.
- [47] Erasmus, D.A. and D.S. Maartens, 2001: *Maintenance, Upgrade and Verification of Operational Forecasts of Cloud Cover and Water Vapour above Paranal and La Silla Observatories*. European Southern Observatories Report under contract number 58311/ODG/99/8362/GWI/LET.
- [48] Erasmus, D.A., 2002: *An Analysis of Cloud Cover and Water Vapour for the ALMA Project: A Comparison Between Chajnantor (Chile), Chalviri (Bolivia) and Five Sites in Argentina using*

- Satellite Data and Verification of Satellite PWV measurements. The ALMA Project, European Southern Observatory, Final Report. 66814/ODG/02/6419/GWI/LET. (Available from: <http://www.eso.org/gen-fac/pubs/astclim/espas/radioseeing/>)
- [49] Erasmus, D.A., and C.A. van Staden, 2003: A Comparison of Satellite-Observed Cloud Cover and Water Vapor at Mauna Kea and Selected Sites in Northern Chile, the Southwestern U.S.A. and Northern Mexico. Final Report. 31 August, 2003. New Initiatives Office, Aura Inc. 75pp.
- [50] Erasmus, D.A., 2004: An Analysis and Comparison Of Satellite-Observed Cloud Cover and Water Vapor At Hanle, India and Yanbajing, Tibet. Experimental Particle Physics and High Energy Astrophysics Group. The Max-Planck-Institute for Nuclear Physics Heidelberg. Final Report. 31 January, 2004.
- [51] Erasmus, D.A., 2004: An Analysis Of Satellite-observed Cloud Cover at Mt Hopkins Observatory and a Comparison with Ground-based Observations. The LSST Project Group, interim report, October 2004.
- [52] E. Siher, S. Ortolani, M. Sarazin, Z. Benkhaldoun; *Correlation between TOMS aerosol index and astronomical extinction*; SPIE Conf. on astronomical Telescope and Instrumentation, Glasgow, Scotland, UK; SPIE 5489, 138-145 (2004).
- [53] A. Jimenez et al. A&A Sup. Ser. 129, 413-423, 1998.
- [54] E. Graham, M. Sarazin, M. Beniston, C. Collet, M. Hayoz, M. Neun, P. Casals; Climate-based site selection for a Very Large Telescope using GIS techniques; Meteorol. Appl. 12,
- [55] M. Grenon, The Northern Chile Climate and its Evolution: a pluridisciplinary approach to the VLT site selection; *ESO Messenger* **61**, 11-16 (1990)
- [56] Kornilov V.G., Tokovinin A.A. Measurement of the turbulence in the free atmosphere above Mt. Maidanak. *Astron. Zhurn.*, 2001, V. 45, P. 459-473 (*Astron. Rep.*, V. 45, P. 395-408). [in English: PDF, 470K]
- [57] Tokovinin A., Kornilov V., Shatsky N., Voziakova O. Restoration of turbulence profile from scintillation indices. *MNRAS*, 2003, V. **343**, p. 891-899 [PDF, 419K]
- [58] Wilson R.W., "SLODAR: Measuring optical turbulence altitude with a Shack--Hartmann wave-front sensor", *MNRAS* **337**, 103, 2002
- [59] Wilson, R.W & Saunter, C.D., "Turbulence profiler and seeing monitor for laser guide star adaptive optics", *proc. SPIE* **4839**, 446, 2003
- [60] R.W. Wilson, J. Bate, J. Guerra, N. Hubin, M. Sarazin, S. Sounter; Development of a portable SLODAR turbulence profiler; SPIE Conf. on astronomical Telescope and Instrumentation, Glasgow, Scotland, UK; SPIE 5490, (2004)
- [61] M. Sarazin, F. Roddier The E.S.O Differential Image Motion Monitor; *Astron. Astrophys.* 227, 294-300 (1990)
- [62] J. Vernin, C. Munoz-Tunon; Measuring astronomical seeing: The DA/IAC DIMM; vol. 107, no. 709, p. 265-272, 03-1995
- [63] Tokovinin A. From differential image motion to seeing. *PASP*, 2002, V. 114, p. 1156-1166
- [64] F. Martin, R. Conan, A. Tokovinin, A. Ziad, H. Trinquet, J. Borgnino, A. Agabi and M. Sarazin; Optical parameter relevant for high angular resolution at Paranal from GSM instrument and surface layer contribution; *Astron. Astrophys. Supplement*, v.144, p.39-44; June 2000
- [65] Kornilov, V., Tokovinin A., Vozyakova O., Zaitsev A., Shatsky N., Potanin S., Sarazin M.; MASS: a monitor of the vertical turbulence distribution.; SPIE Conf. on astronomical Telescope and Instrumentation, Waikoloa, Hawaii, USA, Aug. 2002, paper SPIE-4839-102.
- [66] Tokovinin, A.; Vernin, J.; Ziad, A.; Chun, M.; Optical Turbulence Profiles at Mauna Kea Measured by MASS and SCIDAR, *PASP Volume* 117, Issue 830, pp. 395-400, 04-2005
- [67] A. Tokovinine, A. Ziad, F. Martin, R. Avila, J. Borgnino, R. Conan, M. Sarazin; Wavefront Outer Scale Monitoring at La Silla ; SPIE Vol. 3353, Adaptive Optical System Technologies, Kona, Hawaii (USA), 20-28 March 1998
- [68] N. Hubin, M. Le Louarn M. Sarazin, A. Tokovinine; *New challenges for adaptive optics: the OWL 100m telescope* ; SPIE 4007, 27-31 March 2000, Munich, Germany
- [69] M. Sarazin and A. Tokovinin; The statistics of isoplanatic angle and adaptive optics time constant derived from DIMM data Beyond Conventional Adaptive Optics, Venezia, 7-10 May 2001, ESO Conference Proceedings.
- [70] Azouit, M.; Vernin, J.; Optical Turbulence Profiling with Balloons Relevant to Astronomy and Atmospheric Physics; *PASP Volume* 117, Issue 831, pp. 536-543, 05-2005.
- [71] Patrick Minnis, J. Kirk Ayers and Steven P. Weaver, Surface-Based Observations of Contrail Occurrence Frequency over the U.S., April 1993--April 1994, NASA RP-1404, December 1997.
- [72] Sausen, R., K. Gierens, M. Ponater, and U. Schumann, 1998. ADiagnostic study of the global distribution of contrails. Part I: Present day climate. *Theoretical and Applied Climatology* 61:127-141.
- [73] Dames & Moore Inc., 1994, Seismic Hazard Analysis at two telescope sites, Mauna Kea, Hawaii and Cerro Pachon, Chile, Final Report for Gemini 8m Telescope Project.
- [74] Sh.A. Ehgamberdiev, A.K. Bajjumanov, S.P. Ilyasov, M. Sarazin, Y.A. Tillayev, A.A. Tokovinin, A. Ziad; The Astroclimate of Maidanak Observatory in Uzbekistan; *Astron. Astrophys. Supplement* v.145 p.293-304; August 2000

- [75] Giovanelli, Riccardo; Darling, Jeremy; Sarazin, Marc; Yu, Jennifer; Harvey, Paul; Henderson, Charles; Hoffman, William; Keller, Luke; Barry, Don; Cordes, James; Eikenberry, Stephen; Gull, George; Harrington, Joseph; Smith, J. D.; Stacey, Gordon; Swain, Mark; The Optical/Infrared Astronomical Quality of High Atacama Sites. I. Preliminary Results of Optical Seeing; The Publications of the Astronomical Society of the Pacific, Volume 113, Issue 785, pp. 789-802, 07/2001.
- [76] M. Jamshidi, "Large-scale systems: Modelling and Control", Elsevier science Ltd, 1983.
- [77] W. B. Rouse, "Engineering Complex Systems: Implications for Research in System Engineering", IEEE Trans. on Systems, Man, and Cybernetics, Vol. 33, No.2, pp 154-156, 2003.
- [78] M.S. Mahmoud, M.F Hassan, M.G. Darwish, "Large-scale control systems", Marcel Dekker, 1985
- [79] Y. Bar-Yam: "When Systems Engineering Fails --- Toward Complex Systems Engineering", International Conference on Systems, Man & Cybernetics, Vol. 2, pp 2021- 2028, IEEE Press, 2003.
- [80] S. P. Sethi, Q. Zhang, "Hierarchical Decision Making in Stochastic manufacturing System", Birkhaeuser, 1994.
- [81] T. Andersen, A. Ardeberg, M. Owner-Petersen, Editors, "Euro 50-Design Study of a 50m Adaptive Optics Telescope", Lund Observatory, 2003.
- [82] G. Z. Angeli, J. Dunn, S. Roberts, D. MacMynowski, A. Segurson, K. Vogiatzis, J. Fitzimmons, "Modelling tools to estimate the performance of the Thirty Meter Telescope: an integrated approach", SPIE, pp 5497-24, 2004.
- [83] N. Yaitskova, K. Dohlen, P. Dierickx, "Diffraction in OWL: effects of the segmentations and segments edges misfigures", SPIE 4840 p171-182
- [84] N. Yaitskova, K. Dohlen, P. Dierick, "Analytical study of diffraction effects in extremely large segmented mirror" J. Opt. Soc. Am. A. p 1563-1575 2003
- [85] M. Troy, G. Chanan Diffraction Effects from Giant segmented mirror telescopes spie 4840, p81-92
- [86] G. Chanan et al. Phasing the mirror segments of the Keck telescopes: the broadband phasing algorithm, Appl. Opt. V.37, No.1 p140-155
- [87] N. Yaitskova, Performance analysis of Mach-Zehnder interferometer for detection of wavefront discontinuities, SPIE 5169, pp 62-71 (2003)
- [88] N. Yaitskova et al.: Mach-Zehnder interferometer for piston tip tilt sensing in segmented telescopes: theory and analytical treatment, J. Opt. Soc. Am. A. Vol 22, No6, 2005
- [89] G. Chanan, D. G. MacMartin, J. Nelson, T. Mast, "Control and alignment of segmented-mirror telescopes: matrices, modes, and error propagation", Applied Optics, Vol. 43, No. 6, pp 1223-1232, 2004.
- [90] D. G. MacMartin, "Local, hierarchic, and iterative reconstructors for adaptive optics", J. Opt. Soc. Am. A, Vol. 20, No 6, pp 1084-1093, 2003.
- [91] G. Chanan, D. G. MacMartin, J. Nelson, T. Mast, "Control and alignment of segmented-mirror telescopes: matrices, modes, and error propagation", Applied Optics, Vol. 43, No. 6, pp 1223-1232, 2004.
- [92] D. G. MacMartin, "Local, hierarchic, and iterative reconstructors for adaptive optics", J. Opt. Soc. Am. A, Vol. 20, No 6, pp 1084-1093, 2003.
- [93] F. Roddier Curvature sensing and compensation: a new concept in adaptive optics; Appl Opt, 27, 1223-1225, 1988
- [94] R. Gonzales and J. Fuensalida Diffractive treatment of curvature sensing in segmented mirror telescope, proc spie 4837 726-736, 2003
- [95] Schumacher, N. Devaney, DIPSS: cophasing segmented mirrors with minimal hardware requirements.
- [96] G. Chanan, M. Troy, E. Sirko, Phase discontinuity sensing: a method for phasing segmented mirrors in the infrared, Applied Optics, 38,4, 704-713, 1999
- [97] S. Esposito et al.: Cophasing of segmented mirrors using the pyramid sensor, SPIE, Volume 5169, pp. 72-78, 2003
- [98] M. Loefeldahl and H.Eriksson, "An algorithm for resolving 2p ambiguities in interferometric measurements by use of multiple wavelength", *Optical Engineering*, 40(6), pp. 984-990, 2001.
- [99] V. Borkowski, A. Labeyrie, F. Martinache, D. Peterson, "Sensitivity of a "dispersed-speckles" piston sensor for multi-aperture interferometers and hypertelescopes", A&A 429, 747-753 (2005)
- [100] B. Ellerbroek and C. Vogel, Simulation of closed-loop wavefront reconstruction for multi-conjugated adaptive optics on giant telescopes, SPIE 5169, 206-217, 2003.
- [101] C. Petit, F. Quiros-Pacheco, J.-M. Conan, C. Kulcsár, H.-F. Raynaud, T. Fusco, G. Rousset, *Kalman filter based control loop for adaptive optics*, SPIE 5490, 1460-1471, 2004
- [102] F. Hammer, M. Puech, F. Assemat, E. Gendron, F. sayede, P. Laporte, M. Marteau, A. Liotard, F. Zamkotsian, *FALCON: a concept to extend Adaptive Optics corrections to cosmological fields*, SPIE 5382, 220- ,2003
- [103] S. Rabien, 2005 in preparation
- [104] C. Verinaud, Optics Communications, Volume 233, Issue 1-3, p. 27-38 (2004).
- [105] O. Guyon, The Astrophysical Journal, Volume 629, Issue 1, pp. 592-614 (2005).
- [106] B. Ellerbroek, Journal of the Optical Society of America A: Optics, Image Science, and Vision, vol. 19, iss. no. 9, p. 1803-1816 (2002)

- [107] L. Poyneer, Gavel D.T., Brase J.M., Journal of the Optical Society of America A, vol. 19, Issue 10, pp.2100-2111 (2002)
- [108] L. Poyneer, J.P Veran, accepted in Journal of the Optical Society of America A, (2005).
- [109] Le Roux, B.; Coyne, J., Ragazzoni, R., Applied Optics IP, vol. 44, Issue 2, pp.171-177 (2005).
- [110] Lardiere, O., Carbillet, M, Riccardi, A., Salinari, P. Proceedings of the SPIE, Volume 5490, pp. 516-526 (2004).
- [111] Codona, J.L., Angel, R., The Astrophysical Journal, Volume 604, Issue 2, pp. L117-L120 (2004).
- [112] [Stalcup, Thomas E., Jr.](#); [Georges, James A., III](#); [Snyder, Miguel](#); [Baranec, Christoph](#); [Putnam, Nicole](#); [Milton, N. Mark](#); [Angel, James Roger P.](#); [Lloyd-Hart, Michael](#) , Field tests of wavefront sensing with multiple Rayleigh laser guide stars and dynamic refocus, proc. SPIE, 5490, 2004
- [113] [Baranec, Christoph J.](#); [Bauman, Brian J.](#); [Lloyd-Hart, Michael](#), Concept for a laser guide beacon Shack-Hartmann wave-front sensor with dynamically steered subapertures, Optics Letters, Volume 30, Issue 7, pp. 693-695 (2005).
- [114] Ageorges N., Els, S., 2004, Proc. SPIE Vol. 5490.
- [115] Beletic, J, Follow the yellow-orange rabbit: a CCD optimized for wavefront sensing a pulsed sodium laser guide star. Proc. SPIE, 5499, 2004.
- [116] Beletic, J, Follow the yellow-orange rabbit: a CCD optimized for wavefront sensing a pulsed sodium laser guide star. Proc. SPIE, 5499, 2004.
- [117] Gilmozzi, R, 2000, "Science with 100m telescopes", Proc. SPIE Vol. 4005, p. 2-8, Discoveries and Research Prospects from 8- to 10-Meter-Class Telescopes, Jacqueline Bergeron (Ed)
- [118] Hawarden, T, 2000, ISAS Report SP 14, 249
- [119] Aparicio, A and Gallart, C, 2004, Astron J 128, 1465
- [120] Adapted from a Table by I. Hook derived from the Science Book [RD526] (personal communication).
- [121] Martin et al., "Optical parameters relevant for high angular resolution at Paranal from GSM instrument and surface layer contribution", A&A 144, pp 39-44, 2000
- [122] Conan et al., "Results of AO simulations at ESO", SPIE 4840, pp393-403, 2003
- [123] Tokovinin, Le Louarn, Sarazin, "Isoplanatism in a multiconjugate adaptive optics system", JOSA A, 17, pp 1819-1827, 2000.
- [124] Nicolle et al., "Ground layer adaptive Optics: analysis of the wavefront sensing issues", Proc. SPIE 5490, pp 858-869, 2004
- [125] Gontcharov et al, 2005
- [126] Petit et al, "Off-axis adaptive optics with optimal control: experimental and numerical validation. Proc SPIE 5903, pp 188-196, 2005
- [127] Ellerbroek, CfAO retreat presentation, 2004
- [128] Angel 2000
- [129] Britton, M., "SLGLAO: an all-sky, wide field adaptive optics concept for TMT", Ringberg, 2005

