## 3.6 m Triplet Adapter: Tests on the Telescope

Massimo Tarenghi and Manfred Ziebell, ESO-Geneva

The first test installation of the triplet adapter on the 3.6 m telescope took place on La Silla in September 1979.

During this period we obtained a number of focus plates and a few test photos from which a large amount of information was derived about the optical quality and the mechanical and electronical performances, cf. the illustration on page 34.

The results were good: the optical quality is inside the specifications. No problems were found regarding stability and reproducibility of the electro-mechanical functions. The automatic filter and plate changer behaved well despite some problems we had before, during the tests in Geneva.

The problems encountered at this first trial on the telescope were:

- (a) The mechanical interface of the adapter to the telescope did not fit.
- (b) The range of the axial movement of the knife edge had to be displaced.
- (c) The TV camera used for manual guiding was not reliable at low temperatures.

(d) A new version of the 3.6 m telescope control programme, more flexible and more suitable for the integration of the triplet adapter programme and for future implementation, had to be installed.

In order to solve these problems and to offer the triplet adapter for the period 25 (1 April–1 October 1980), a new series of tests is planned for the end of November 1979.

During this second test period we intend to do:

- (a) The final alignment of optics (blue and red).
- (b) The tests of the guide probe, to determine the values for the use of the "Foucault method".
- (c) The determination of the light attenuation in relation to film material, filters and exposure time for the spot sensitometer.
  - (d) The determination of limiting magnitude.
  - (e) The tests for ghost images.

Documentation about the triplet adapter will be available at the ESO Libraries in Geneva and on La Silla:

- General description and specifications: from November 1979;
- II. Operations Manual: from February 1980;
- III. Maintenance Manual: from May 1980.

## **Brave New World?**

To observe with a telescope is not exactly what it has been. Not so long ago, the astronomer worked next to the telescope, pushed the buttons, watched the sky through the dome slit and entertained the night assistant with his personal repertoire of songs, frequently ranging from the tragedy of *Tosca* to the invocative expressions of "Let it be, let it be" or even later masterpieces.

Nowadays, however, in the Age of Automation, the "observer" sits in a brightly lit room, somewhere in the telescope building (he is not quite sure where), and punches the keys of a computer console. He does not know where the telescope is (it may be in space) nor has he any idea of how it looks like. He only worries about the 1/2 night that has been allocated by the Observing Programmes Committee for his observations and whether the telescope and the weather will permit him to obtain the data he has been waiting for during the past year with so much expectation.

The present trend is towards even more automation, even better efficiency, etc. What will it be like, 5 years from now? Always ahead of its time, THE MESSENGER has obtained a listing of a future file in the central ESO/La Silla computer system which is reproduced in facsimile here and illustrated by Karen Saxby. For convenience of the reader, the central computer is indicated by a dash (–) and the observing astronomer with (:).

```
MESS T=00004 IS ON CR04834 USING 00006 BLKS R=0047

0001 **** LOG DUMP FILE: 3.6/133/1984/JEDERMANN

0003 *****

0003 EVENING AND WELCOME TO THE 3.6 M.

0004 - IS THIS YOUR FIRST RUN?

0005 : NO

0006 - WE SHALL CHECK THAT. WHAT IS YOUR NAME?

0007 : J. EDERMANN

0008 - INSTITUTE?

0009 - INSTITUTE?

0010 - OK. YOU WERE HERE ON 123/1983. OK?

0011 - WELL ER...

0011 TO WRONG COORDINATES, DID YOU PREPARE

YOUR OBSERVATIONS BETTER THIS TIME?
```

```
0015 : PROMISE OK. WE SHALL SEE... NOW GIVE YOUR ENTRY 0019 OK. WE SHALL SEE... NOW GIVE YOUR ENTRY 0019 : OPC. VZ398.42859YZ 0019 : OPC. VZ398.42859YZ 0019 OPC. PROCEED. 0021 OPC. ACCESS AUTHOPIZED BY OPC. PROCEED. 0021 OPC. ACCESS AUTHOPIZED BY OPC. PROCEED. 0022 : CASS. AUAILABLE, INSTRUMENT? OPC. ACCESS AUTHOPIZED BY OPC. PROCEED. 0023 : LDS ON BCC SPECTROGRAPH. 0025 - ARE YOU SURE YOU WANT THIS INSTRUMENT? 0026 : SURE. 0027 OPC. ARE YOU SURE YOU WANT THIS INSTRUMENT? 9026 : SURE. 0027 OPC. ARE YOU SURE YOU WANT THIS INSTRUMENT? 9026 OPC. ARE YOU SURE YOU WANT THIS INSTRUMENT? 9026 OPC. ARE YOU SURE YOU WANT THIS INSTRUMENT? 9026 OPC. ARE YOU SURE YOU WANT THIS INSTRUMENT? 9026 OPC. ARE YOU PEALLY SURE? 9026 OPC. PROCEED. 9026 OPC. PROCEED.
```